

Health Care Personnel's Perception of Infection Control

Saleh Moslim Al Hashem¹, Mohammed Ibrahim Ali Almusallam Alsayed¹, Zainab Abdulla Almajed², Zahraa Abdullah Alomran², Abdullah Essa Bukdaim³, Abdulrahman Mohammed Alabdulwahed³, Tahani Hossin Taher Aljelwah⁴, Mariam Essa Alwisher⁵, Amin Abdulrahman Taher Almoosa⁵, Ali Mohammedtaqi Abdulhamid Almumtin⁵, Hanan Abdulmonem Ahmed Almajed⁵, Mohammed Nouh Mohammed Almatar⁶, Fadel Nooh Mohammed Almatar⁷, Mohammed Ahmed Alablan⁴, Zainab Ali Alshakhs⁸

1. Psychiatry Hospital Al Hofuf , Emergancy Ward) , Saudi Arabia.
2. Lab Technicianhereditary Blood Disorder Center, Saudi Arabia.
3. Nutrition Specialist, Nutrition Management At Al-Ahsa Health Cluster, Saudi Arabia.
4. King Faisal Hospital, Saudi Arabia.
5. Alahsa Health Cluster, Saudi Arabia.
6. Haradh Health Centre, Saudi Arabia.
7. Aljobail Phc, Saudi Arabia.
8. Radiology Department , Abdulaziz bin Sulaiman Al-Afaliq Center for Early Detection of Tumors, Saudi Arabia.

ABSTRACT

Infection control is a critical aspect of healthcare delivery, aimed at preventing the spread of infectious diseases among patients and healthcare personnel. This review explores healthcare personnel's perceptions of infection control, including their understanding of infection control practices, attitudes toward adherence, and challenges faced in implementing infection control measures. By examining healthcare personnel's perspectives, this review aims to identify areas for improvement in infection control education, training, and policy development.

Introduction

The prevalence of healthcare-associated infections (HCAI) varies widely worldwide. The prevalence of HCAI become as high as 30%–50%. Many of these pathogens in HCAI are multidrug resistant and are able to survive in the environment for a long period of time(1).Healthcare workers (HCWs) are at risk of occupational hazards because they perform their clinical activities in hospitals where they are exposed to blood and body fluids(2),(3), (4).

All activities or actions used to minimize the risk of the spread of infection are referred as infection control measures. They are based on how an infectious agent is transmitted and include standard, contact, droplet, and airborne precautions(5).Infection control measures can be grouped into two categories: Standard precautions (SPs) and additional (transmission based) precautions(6).The SPs policy is regarded as the effective means of protecting HCWs, patients,

and the public, thus reducing hospital acquired infections. They are designed to protect HCWs from being exposed to potentially infected blood and body fluids by applying fundamental principles of infection prevention(7),(8),(9),(10).

Some HCWs believe that when they do not adhere to SPs, this would place the patient's life in danger. Others feel that there is no need for SPs in some circumstances, for example, one of the responses was that this person frequently recaps needles because he or she was prick by a needle that was not covered(11). A previous study in Nigeria reported that most of HCW (90.8%) had a positive attitude about SPs and wanted to practice it, but inadequate fund and equipment hindered them from practicing it.Infection control is fundamental to providing safe and effective healthcare, as it helps prevent the transmission of infectious diseases among patients and healthcare personnel. Healthcare personnel, including doctors, nurses, and other staff, play a vital role in implementing infection control measures in healthcare settings. Understanding their perceptions of infection control is essential for improving adherence to infection control practices and reducing the risk of healthcare-associated infections.

Healthcare Personnel's Perceptions of Infection Control:

1. Understanding of Infection Control Practices

Healthcare personnel's understanding of infection control practices may vary depending on their level of training and experience. While many healthcare workers have a basic understanding of infection control principles, gaps

in knowledge and awareness may exist, particularly in resource-limited settings (12).

2. Attitudes Toward Adherence

Attitudes toward adherence to infection control measures can influence healthcare personnel's compliance with recommended practices. Positive attitudes, such as a strong sense of responsibility for patient safety, are associated with better adherence to infection control guidelines(13).

3. Challenges in Implementation

Healthcare personnel face various challenges in implementing infection control measures, including inadequate training, insufficient resources, and competing priorities. Overcoming these challenges requires a multifaceted approach, including education, training, and organizational support(14).

Way of improvements

Education and Training

Providing comprehensive education and training programs on infection control is essential for ensuring that healthcare personnel have the knowledge and skills necessary to prevent healthcare-associated infections.

Organizational Support

Healthcare organizations play a critical role in supporting infection control efforts by providing resources, implementing policies and procedures, and fostering a culture of safety and accountability(15).

Continuous Monitoring and Feedback: Regular monitoring and feedback on infection control practices can help identify areas for improvement and ensure ongoing compliance with recommended guidelines(16).

Conclusion:

Healthcare personnel's perceptions of infection control play a crucial role in determining the effectiveness of infection control measures in healthcare settings. By understanding healthcare workers' knowledge, attitudes, and challenges related to infection control, healthcare organizations can develop targeted interventions to improve adherence to infection control practices and reduce the risk of healthcare-associated infections.

References

1. Mythri H, Arun A, Kashinath KR. Perception and practice regarding infection control measures among healthcare workers in a tertiary center, south India. *J Chem Pharm Res.* 2015;7(2).
2. Tarantola A, Golliot F, Astagneau P, Fleury L, Brücker G, Bouvet E. Occupational blood and body fluids exposures in health care workers: Four-year surveillance from the Northern France Network. *Am J Infect Control.* 2003;31(6).
3. Amin T, Al Wehedy A. Healthcare providers knowledge of standard precautions at the primary healthcare level in Saudi Arabia. *Healthc Infect.* 2009;14(2).

4. Amoran OE, Onwube OO. Infection control and practice of standard precautions among healthcare workers in northern Nigeria. *J Glob Infect Dis.* 2013;5(4).
5. Gulilat K. Assessment of Knowledge, Attitude And Practice of Health Care Workers on Infection Prevention in Health Institution Bahir Dar City Administration. *Sci J Public Heal.* 2014;2(5).
6. World Health Organization (WHO). Practical Guidelines for Infection Control in Health Care Facilities. *World Heal Organ.* 2003;(December).
7. Motamed N, BabaMahmoodi F, Khalilian A, Peykanheirati M, Nozari M. Knowledge and practices of health care workers and medical students towards universal precautions in hospitals in Mazandaran Province. *East Mediterr Heal J.* 2006;12(5).
8. Ganczak M, Szych Z. Surgical nurses and compliance with personal protective equipment. *J Hosp Infect.* 2007;66(4).
9. Sreedharan J, Muttappillymyalil J, Venkatramana M. Knowledge about standard precautions among university hospital nurses in the United Arab Emirates. *East Mediterr Heal J.* 2011;17(4).
10. Okechukwu EF, Modteshi C. Knowledge and practice of standard precautions in public health facilities in Abuja, Nigeria. *Int J Infect Control.* 2012;8(3).
11. Gammon J, Morgan-Samuel H, Gould D. A review of the evidence for suboptimal compliance of healthcare practitioners to standard/universal infection control precautions. *J Clin Nurs.* 2008;17(2).
12. Al-Rawajfah OM. Infection control practices among intensive care unit registered nurses: A Jordanian national study. *Nurs Crit Care.* 2016;21(2).
13. Luangsanatip N, Hongsuwan M, Limmathurotsakul D, Lubell Y, Lee AS, Harbarth S, et al. Comparative efficacy of interventions to promote hand hygiene in hospital: Systematic review and network meta-analysis. *Vol. 351, BMJ (Online).* 2015.
14. Allegranzi B, Zayed B, Bischoff P, Kubilay NZ, de Jonge S, de Vries F, et al. New WHO recommendations on intraoperative and postoperative measures for surgical site infection prevention: an evidence-based global perspective. *Vol. 16, The Lancet Infectious Diseases.* 2016.
15. Stone PW, Pogorzelska-Maziarz M, Herzig CTA, Weiner LM, Furuya EY, Dick A, et al. State of infection prevention in US hospitals enrolled in the National Health and Safety Network. *Am J Infect Control.* 2014;42(2).
16. Storr J, Twyman A, Zingg W, Damani N, Kilpatrick C, Reilly J, et al. Core components for effective infection prevention and control programmes: New WHO evidence-based recommendations. *Antimicrob Resist Infect Control.* 2017;6(1).